

SAFETY

Saskatchewan Motorcycle Driver's Handbook

A guide to safe driving

SGI 
Take care out there



Contents

1. Introduction	1
2. What you need to know	2
3. Preparing to ride	3
Proper clothing	3
Know your motorcycle controls	6
Daily motorcycle check	11
4. Precision – Learning to control a motorcycle like an expert	14
Body position	14
Turning	15
Braking	16
Shifting gears	16
5. Perception and prediction	18
Learning good perception	19
Checking the road surface	20
Using mirrors	20
Shoulder check	21
Learning to predict	21
Headlight	22
Clothing	23
Nighttime visibility	23
Horn	23
Signalling	24
Brake light	24
Left turn in front of motorcycle	25
6. Position – Learning your place on the road	26
Lane position – blocking	26
Turning position	28
Gates	30
Three-second rule	30
Distance to the side	31
Lane changes	32
Sharing lanes	33
Distance behind	34
Position for seeing	35
7. Position for being seen	36

8. Riding at night	37
Other considerations	37
9. Handling dangerous surfaces	39
Slippery surfaces	39
Gravel roads	40
Grooves and gratings	40
Ice or wet wooden surfaces	40
Uneven surfaces	41
Railway tracks	41
10. Riding in bad weather	42
Rain	42
Fog	42
Winter riding	43
11. Being in shape to ride your bike	44
Drinking, drugs and driving	44
Fatigue	45
12. Owning and maintaining a motorcycle	46
Accessories and modifications	46
Touring modifications	47
13. Emergencies	48
Quick stops	48
Emergency steering	48
Going into a turn too fast	48
Riding over objects	49
Flying objects	49
Animals	50
Mechanical problems	50
Chain breakage	52
Engine seizure	52
Getting off the road	52
14. Group riding	53
Keep the group small	53
Keep the group together	53
Keep your distance	54
15. Carrying passengers and cargo	56
Passengers	56
Riding with passengers	57
Carrying loads	58

16. Maintenance	59
Weekly motorcycle inspection	59
17. Driver's licence information	61
The MGDL program.	61
Motorcycle endorsements.	61
Smaller motorcycles	63
Motorcycle Novice 1 – Endorsement M	65
Motorcycle Novice 2 – Endorsement M	68
MGDL restrictions and requirements	69
How to book your tests.	71
Incidents and suspensions.	71
MGDL Improvement Program.	71
Drinking, drugs and driving	72
Registering your motorcycle	73
Motorcycle equipment standards	75
18. Power-assisted bicycles	79
Motorcycle approval form for persons under 18.	80

1. Introduction

SGI wants to give you the knowledge and skills to become a safe motorcycle rider, most of which can be found in this handbook. It's not a complete digest of all the rules of the road and driving techniques available, it's a reference covering what experience shows to be the most important things you need to learn. It incorporates the latest advances in motorcycling and is designed for both novice and experienced drivers. You should also refer to the *Saskatchewan Driver's Handbook – A guide to safe driving*.

We care about all road users, including those who ride motorcycles and are therefore more vulnerable. Motorcyclists are at greater risk of bodily injury, disability, or death in a collision. SGI is committed to making sure motorcyclists know how to stay safe and to sharing what other road users can do to watch out for them.

2. What you need to know

There is a three-stage Motorcycle Graduated Driver Licensing (MGDL) program for all new motorcycle riders in Saskatchewan. It's been designed to help riders build their skills and knowledge over time, moving them through increasing levels of risk as they gain motorcycle driving experience. It starts with getting an Endorsement 6 to operate a motorcycle as a learner, which includes tests of basic knowledge and skills. Then you spend time riding as a learner before you take a road test to get an Endorsement M on your Class 1 – 5 driver's licence. All of this is covered in-depth in the MGDL section of this manual.

Being a motorcycle rider requires knowledge and skills. Additional equipment, proper gear, helmet regulations and familiarization with your bike are also covered in these pages. To ride a motorcycle well, consider your physical and mental condition because driving it takes more concentration, physical strength and endurance than driving a car.

Most collisions involving motorcycles happen due to a lack of experience. Skills such as lane positioning, how to react to other driver's mistakes, how to see like an expert, how to position yourself to be seen by others, how to handle dangerous surfaces and emergencies are essential.

Before riding your motorcycle avoid anything that impacts your driving ability, including impairment by drugs and alcohol. There is also zero tolerance for impaired driving for those in the MGDL program, regardless of age. The same goes for motorcycle riders less than 19 years old.

What you learn will help you feel more secure and let you really enjoy riding your motorcycle. The skills and techniques in this handbook, along with hands-on learning experiences riding your bike, will help you meet any challenges on our streets and highways.

3. Preparing to ride

Your chances of getting to your destination in one piece are influenced by the things you do before starting out. Good riders always begin a trip with:

- proper clothing
- a check of the motorcycle
- a test of the motorcycle's operation

Proper clothing

Proper clothing includes:

- an approved helmet
- eye and face protection
- protective clothing
- MGDL riders (and any passengers) must have their arms and legs covered, wear finger-covering gloves, ankle-covering boots and an approved three-quarter, modular or full-face helmet



An approved helmet

An approved motorcycle helmet can protect you from serious head injury. When a motorcycle falls, the rider's head often hits something hard, like pavement or a curb.

If you are in the MGDL program at the Learner, Novice 1 or Novice 2 stage, or the passenger of a Novice 2 motorcycle operator, you must wear an approved three-quarter, modular or full-face helmet.

The human head is fragile and head injuries are often fatal or crippling. Saskatchewan law says that riders and passengers must wear approved helmets and have them properly fastened. A surprising number of motorcyclists killed in accidents were not wearing their helmets. Wear your helmet every time you ride.

A helmet must:

- meet Saskatchewan standards (see page 70)
- have a strong chin strap and fastener
- be free of defects such as cracks, loose padding, frayed straps or exposed metal

A full-face or modular helmet is recommended. It's a good idea to have a helmet that is a bright colour such as red, white, yellow or orange. It should also have reflective material on the back and the sides. However, check the manufacturer's specifications before using any adhesive on your helmet.

When selecting a helmet, make sure it fits properly. When you put it on, make sure it is snug and the strap is securely fastened. Studies of motorcycle crashes show that loose helmets are ineffective because they come off in collisions.

Eye and face protection

Your eyes need protection from wind, dust, rain, insects and small pebbles thrown up from vehicles ahead. If the motorcycle is not equipped with a windshield that deflects the airstream away from the driver's face, the operator must wear goggles, safety glasses or a face shield. Eye protection is recommended for operators and passengers of motorcycles equipped with a windshield. Eyes can be easily damaged by debris and bugs, that's why it's important to protect your vision and your safety with a face shield that protects your whole face.

Eyeglasses are not made to protect riders. They will shatter if hit by a flying object. If you wear glasses, also use a face shield.

To be effective, eye or face protection must:

- be free of scratches
- be made of material that doesn't shatter
- give a clear view to either side
- fasten securely so that it can't be blown off
- allow some air to pass through so it won't fog
- allow enough room for eyeglasses or sunglasses, if needed

Tinted goggles or face shields should not be worn at night.

Protective clothing

Clothing can help protect you against injury in case of a fall and is required for proper visibility – wear bright clothing and a high-visibility safety vest.

Jacket and pants should cover your arms and legs completely. They should fit snugly enough so they don't flap and yet let you move freely. Wear a jacket even in warm weather. Leather is best. Nylon, vinyl and other sturdy synthetic materials offer some protection against wind and bugs. However, in a crash, synthetic materials will stick to the skin when skidding on grass or pavement. Riders in the MGDL program and their passengers will be required to have their arms and legs covered.

In cold or wet weather, your clothes should keep you warm and dry, as well as protect you against injury. You can't properly control a motorcycle if you are numb. Riding for long periods in cold weather can cause severe chill and fatigue. A winter jacket should resist wind and fit snugly at the neck, wrists and waist. Rain suits should be of good quality, and be designed for riding. Those that are not designed for motorcyclists may balloon up or tear apart at highway speeds.


Boots or shoes should be sturdy and high enough to protect the ankles. Motorcycle operators in the MGDL program and passengers of operators in the Novice 2 stage of the MGDL program must wear ankle-covering boots while riding a motorcycle. Soles should be made of hard, durable material. Heels should be low so they don't catch on rough surfaces. Don't wear shoes with rings or loose laces that may catch on controls.

Gloves are also important. They give you a better hold on the handle grips and controls. Gauntlet gloves are recommended because they provide protection not only to fingers and knuckles, but also to wrists in case of an accident. Motorcycle operators in the MGDL program and passengers of operators in the Novice 2 stage of the MGDL program must wear hand-covering gloves while riding a motorcycle.

Know your motorcycle controls

The beauty of motorcycle design is that all controls and other important devices are within quick reach of the rider's hands and feet. All drivers should know where the controls are and will be tested on their knowledge in the exam. For example, 18 key controls and devices are visible from the saddle of a typical motorcycle:

- | | |
|-----------------------------|-----------------------------------|
| 1. Speedometer and odometer | 10. Throttle |
| 2. Tripmeter | 11. Clutch lever |
| 3. Tachometer | 12. Front brake lever |
| 4. Light switches | 13. Rear brake pedal |
| 5. Ignition switch | 14. Gear selector pedal |
| 6. Turn signal switch(es) | 15. Starter |
| 7. Horn button | 16. Engine kill switch |
| 8. Fuel supply valve | 17. Stand |
| 9. Choke control | 18. Oil level window or dip stick |



It's important to become familiar with the motorcycle's controls, whether you're learning to ride or you're an experienced rider driving an unfamiliar motorcycle.

In fact, you should first check that the motorcycle isn't too heavy or too large for you to operate comfortably. When sitting on the seat, you should be able to place your feet flat on the ground.

The same controls may not be found in the same places on all motorcycles. Check your owner's manual for the exact location and precise way to operate all controls and devices. The first step in learning to ride a motorcycle is to learn the controls used to operate the machine. You must be able to reach any control without looking for it. With practice, you will be able to operate all controls by reflex. Automatic response is required before you can venture out into traffic.

Instruments

The following instruments are grouped in the centre of the handlebars on most motorcycles:

- The speedometer indicates riding speed in kilometres per hour or miles per hour.
- The odometer indicates total kilometres or miles accumulated on the motorcycle.
- The tripmeter indicates kilometres or miles accumulated since the last time it was set at zero.
- The tachometer indicates engine speed in revolutions per minute (rpm) and shows with a red line the maximum rpm the engine can safely attain.
- The high beam indicator light appears red or blue when the headlight is on high beam.
- The neutral indicator light appears green when the transmission is in neutral.
- The turn signal indicator light flashes amber when either left or right signals are operating.

Ignition switch

The ignition key goes into the ignition switch located near the centre of the handlebars or below one side of the fuel tank. ON and OFF positions are standard. Some switches also have LIGHTS and PARK positions. When the ignition is on, the engine can be started in either the ON or LIGHTS position.

The LIGHTS position turns on the headlight and the tail light. The PARK position turns on only the tail light. The key can be removed only in the OFF or PARK position.

Light switches

If the ignition switch does not have a LIGHTS position, your motorcycle will have a separate switch with which to turn on the headlight and tail light. On all newer motorcycles, the headlight and tail light come on automatically when the ignition is switched on and the engine is running.

A dimmer switch, generally located on the left handlebar and operated by the left thumb, can be used to set the headlight on low or high beam.

Turn signal switch

The switch to control turn signals is usually located on the left handlebar and is controlled with the left thumb. Move the switch right to 'R' to flash the right turn signal lights. Move it left to 'L' to flash the left signal lights.

Most motorcycle turn signals do not self-cancel after a turn, as automobiles do. You must cancel the signal after each turn or lane change. Failure to cancel a turn signal is as dangerous as not signalling in the first place.

Brake light

The brake light is located on the rear fender and is activated when either the front or rear brake is applied.

Horn button

Sound the horn by pushing the horn button located on the left handlebar with your left thumb.

Fuel supply valve

The fuel supply valve is a petcock located below the fuel tank. It controls the flow of gasoline to the engine. When the motorcycle is not in use, the valve should always be turned to the OFF position to eliminate the possibility of fuel leaking into the crankcases or creating a fire hazard.

The valve must be turned to the ON position on many bikes for fuel to flow to the engine and for it to start and run. The fuel tank has a reserve section in case the main section runs dry. To release the reserve supply, you must turn the valve to RESERVE or RES, something you should be able to do while riding your motorcycle.

Choke control

The choke adjusts the mixture of gasoline and air supplied to the engine and usually is used only when starting a cold engine. The choke control is located on the engine or at the handlebars. To start a cold engine, move the choke control to the ON position and start the motorcycle. When the engine is warm, return the choke control to the OFF position.

Throttle

The right handle grip is the throttle that controls the flow of gasoline to the engine and thus the speed of the engine and, ultimately, the speed of the motorcycle. To increase speed, rotate the throttle toward you with your right hand. To reduce speed, twist the throttle away from you. The throttle must spring back to the idle position if you remove your hand.

Clutch lever

The clutch lever is located in front of the left handlebar and is operated when squeezed toward the handle grip with the fingers of the left hand. Squeezing the lever disengages the clutch and disconnects the engine power from the rear wheel. Releasing the lever engages the clutch and provides power to the rear wheel. Whenever you change gears, either up or down, you must first disengage the clutch.

Front brake lever

Apply the front wheel brake by squeezing the lever on the right handlebar toward the handle grip with the fingers of your right hand.

Rear brake pedal

Activate the rear wheel brake by pressing your right foot on the pedal located in front of the right footrest (on most bikes). Remember that the right hand controls the front brake while the right foot controls the rear brake. They should be used together. The engine of your motorcycle will also act as a brake when you gear down or reduce throttle.

Gear shift

The gear selector pedal is located on the left side on most motorcycles just ahead of the footrest. You shift gears by lifting or depressing the pedal with your left toe.

Most motorcycles have four or five gears and a neutral position. In neutral, the transmission is out of gear and power will not reach the rear wheel.

The gear selector pedal should only be operated while the clutch is disengaged. After you have squeezed the clutch lever with your left hand, you can select the gear you need by lifting or depressing the gear selector pedal with your left toe.

Starter

Most motorcycles have an electric starter operated by pushing the starter button on the right handlebar.

Many bikes still have a kick starter, usually located above the right footrest. It must be unfolded before it can be used to start the motorcycle with a vigorous kick.

Engine-kill switch

The engine-kill switch is located on the right handlebar and is usually red. It is used in an emergency to stop the engine quickly. It may also be used to turn off the engine after a normal stop, but be sure to turn off the ignition switch as well after using the kill switch.

The engine will not start when the kill switch is in the OFF position.

Stands

When motorcycles are parked, they are supported by either a side stand or a centre stand. Some models may have both.

A side stand extends downward from its position underneath the motorcycle to support the motorcycle in a leaned position.

A centre stand is a sturdy, two-legged stand attached underneath the centre of the motorcycle frame. It can support the motorcycle in an upright position.

Stands are held in their retracted position by spring mechanisms and lowered for use by the rider's foot.

Make sure your stand is retracted before you start off.

Daily motorcycle check

With a little experience, you will become familiar with the motorcycle controls.

If there's anything wrong with the motorcycle, the time to find out about it is before you are in traffic.

Here are the critical parts of your bike you should check before starting out.

Tires

You have only two tires so you must keep them in good condition. Check for:

a) Inflation

The motorcycle does not handle properly if the air pressure is too low or too high. Check the owner's manual for the right amount of air.

b) Tread

Worn or uneven tread can affect the handling of the motorcycle, particularly on wet pavement. Once the centre wear bar is exposed, you have minimal tread left. The tire must be replaced.

c) Damage

Check for cuts or nails stuck in the tread. Also, check the sidewalls for cracks. A blowout on a motorcycle can be extremely dangerous.

Controls

The controls are mounted on the handlebars. Make sure your controls work before you start out.

Brakes

Try the front and rear brakes one at a time. Make sure each one holds the motorcycle when it is fully applied.

Clutch and throttle

Make sure the controls work smoothly. The throttle should snap back when you let go.

Cables

Check the cables for kinks or broken strands. If a cable breaks while you are riding, it could cause a crash.

Lights

Don't put your faith in lights that may not work. Keep them clean and check them regularly.

Turn signals

Check all four turn signal lights. Make sure they flash when they are turned on and are bright enough to be seen.

Headlight

Check your headlight. In daytime, pass your hand in front of the beam to make sure the headlight is really on. Try your dimmer switch to make sure both high and low beams work.

Tail and brake light

Try each of your brake controls and make sure that each one activates your brake light.

Horn

Try the horn to be sure it will work if you need it!

Gas and oil

Check gas and oil levels before you start. Running out of gas is inconvenient, and can also be dangerous if it happens where you cannot get off the road quickly. You can check the oil through the oil level window or on your dip stick.

Lack of oil can cause your engine to seize. This could lock the rear wheel and make you lose control.

Mirrors

Clean and adjust both mirrors before you start. It is difficult – and dangerous – to ride with one hand while you adjust a mirror.

Swing your mirrors out far enough to see around your body. Adjust each mirror to show half the lane behind you and as much as possible of the lane beside you.

4. Precision – Learning to control a motorcycle like an expert

When you're learning to ride, it's important to develop proper riding techniques right from the start. However, only a lot of practice will ensure that you are able to control steering, throttle and brakes precisely.

Body position

To control a motorcycle well, your body must be in the proper position.

Seat

Sit close enough to the handlebars to reach them with your arms slightly bent. Bending your arms allows you to turn the handlebars without having to stretch.

Posture

Your body should be fairly erect. This lets you use your arms to steer the motorcycle rather than to hold yourself up.

Hands

Hold the handgrips firmly so that you will not lose your grip if the motorcycle bounces. Start with your wrists down. This will prevent you from accidentally using too much throttle.

Knees

Hold your knees firmly against the gas tank. This will help you keep your balance as the motorcycle turns.

Feet

Keep your feet firmly on the footrests. A firm footing is important to help you maintain balance. Don't drag your foot or walk the bike when starting. If your foot catches on something, you could lose control of the motorcycle.

Keep your feet near the controls. This lets you use the controls quickly if you have to. Also, try to keep your toes up. If you let them drop, they may get caught between the road and the footrest.

Turning

The secret to smooth and successful cornering lies in proper head turns and keeping your eyes up. Where you look is where you go. If you look through the turn you'll ride through the turn. If you look out of the turn, you'll ride out of the turn. Remind yourself to look ahead. Turn your head to face all the way through corners. This gives you the essential information to negotiate turns safely and skillfully.

There are four basic steps to turning a motorcycle:

1. Slow

Reduce speed before the turn. Close the throttle and/or apply the brakes as necessary. Downshifting can also help reduce speed if necessary. Slow enough before the turn to allow smooth and constant throttle roll-on through the turn.

2. Look

Turn your head and look as far as possible through the turn. Keep your head facing your intended path of travel. Keep your eyes level with the horizon. Use your peripheral vision to search the immediate area.

3. Roll

As you approach the entrance to the curve and before you lean, gradually roll on the throttle. Maintaining steady speed or gentle acceleration stabilizes the suspension and improves overall control. Avoid abrupt acceleration while turning.



Rider countersteers.

4. Press

Lean the motorcycle into the turn by applying gentle, forward pressure to the handgrip in the direction of the turn. To turn right, press on the right handgrip. To turn left, press on the left handgrip. While this may sound backwards, the technique, known as countersteering, really works. A motorcycle must lean in order to turn. The pressure on the handgrip (countersteering) causes it to lean in the direction of the turn.



Front wheel momentarily outracks away from turn, causing motorcycle to begin leaning in turn direction.



Motorcycle stabilizes in turn, front wheel re-centres.

Braking

Your motorcycle has two brakes. You need both of them to stop effectively. The front brake provides about three-quarters of your stopping power. Use both front and rear brakes in combination to provide good control.

Here are some things to remember about braking:

- a) Use both brakes every time you slow down or stop. If you use the rear brake for normal stops, you may not have enough skill to use the front brake properly when you really need it.
- b) Apply both brakes at the same time using a progressive squeeze.
- c) Make sure all your braking is done prior to the turn.

Shifting gears

There is more to shifting gears than simply getting the motorcycle to accelerate smoothly. Sloppy shifting can cause crashes when downshifting, turning or starting on hills.

The purpose of the gears in a motorcycle transmission is to match the engine's speed (measured by the tachometer) with the motorcycle's road speed (measured by the speedometer in km/h or mph).

On most bikes, neutral is located between first and second gear. Always start and shut off your bike in neutral.

When starting off from a standstill, you must shift the transmission up through the gears so that the engine is able to maintain the motorcycle's road speed without turning too fast. Your motorcycle owner's manual has information on the range of engine speeds at which the motorcycle was designed to be operated. The proper gear will also permit the engine to provide sufficient power for the bike to accelerate if necessary.

When slowing down in traffic, or for road conditions, you must shift down through the gears until an appropriate match is obtained between engine and road speed. Remember to shift up when the engine is turning too fast for the road speed and to shift down when the engine is turning too slowly.

Shifting down is more difficult to do smoothly than shifting up – and potentially more dangerous. You must open the throttle slightly to increase engine speed as you shift down with the clutch pulled in. If you don't apply enough throttle, the bike will lurch when you release the clutch. Shifting down without having the engine speed up enough to match its speed with the motorcycle's speed may cause the rear wheel to skid.

Shifting in a turn

If downshifting is required, ensure it is done prior to the turn. Do not upshift in a turn unless you can do it very smoothly. A sudden change in power to the rear wheel can cause it to lock or lose traction. The result can be a skid. It is best to change gears before entering a turn.

Starting on a hill

It is more difficult to get the motorcycle moving on an upgrade than it is on flat ground. There is always a danger of rolling backward into someone behind you.

Here is what you have to do:

1. Use the front brake to hold the motorcycle while you start the engine and shift into first gear.
2. Change to the foot brake to hold the cycle while you operate the throttle with your right hand.
3. Open the throttle a little bit for more power.
4. Release the clutch gradually. If you release it too quickly, the front wheel may come off the ground or the engine may stop – or both.
5. Release the foot brake when the engine begins to take hold.

5. Perception and prediction

Expert riders know what's going on around them and act early, responding to potential problems before they become life threatening. They are always prepared for the errors of other drivers and identify possible hazards in advance. Become an expert rider by developing expert judgment. SIPDE is the acronym for a mental strategy used to make sound judgments and reduce risks in traffic. It stands for:

Scan

Search aggressively ahead, behind and to the sides for potential hazards. What you don't detect can hurt you! Scan aggressively to recognize problems before they become critical. Keep your eyes moving in a purposeful search for information.

Identify

An aggressive search will allow you to identify hazards and potential conflicts early. Hazards fall into the following three categories:

1. Other vehicles – traffic sharing the road with you. Your reactions to other vehicles are critical.
2. Pedestrians and animals – they move unpredictably and, depending on their size, can create an imposing hazard.
3. Fixed hazards – stationary objects near and alongside the roadway, surface hazards, signs and signals, guardrails, bridges, etc. They don't move, but failing to recognize them can be hazardous.

Predict

Once you've identified the hazard, the next step is to quickly predict what it will do. How critical is the situation? What are your options? What are the consequences? Will the hazards separate or is action required? Is collision imminent? This is the "what if" phase of SIPDE that depends upon your knowledge, experience and skill. An aggressive search has presented you with critical information – be prepared to act on it!

Decide

The next step calls for decisions based upon your prediction. Complete the “what if” phase to estimate results. What are you going to do, and how are you going to do it? In any situation, you have three choices:

1. Adjust speed – speed up, slow down or stop
2. Adjust position – move left or right
3. Communicate – sound your horn, flash your brake light or headlights, signal, etc.

Execute


Act on your decision. This is the physical part of the SIPDE process. Now is the time to apply your skills:

1. Adjust speed – roll on or off throttle, brake or downshift for greater acceleration
2. Adjust position – press left or right
3. Communicate – press the horn button, flash the lights, etc.

Learning good perception

The best way to stay out of trouble is to see it coming. Expert riders have very few surprises on the road because they see and understand possible problems before getting to them.

To have such good perception, experts have learned to look far ahead. In the city, expert riders always look from one and a half to two blocks ahead. On the highway, they look as far ahead as they can see. Looking well ahead gives them plenty of time to adjust to problems. It also helps them avoid panic stops or sudden swerves that can cause even more trouble. (For more information, see the *Saskatchewan Driver's Handbook*.)



Your visibility of traffic and road conditions is better if you do not follow the vehicle ahead too closely.

To develop expert rider perception:

1. Look **ahead** as far as you can see.
2. Keep your eyes moving. Don't look at one place for more than two seconds; trouble could be developing in one place while you're staring at another.
3. Use your height advantage. Look over or through the car in front of you for cars stopping or turning ahead.
4. Check the roadside. Watch for cars that may leave the curb or enter from side streets or driveways.

Sometimes you cannot see an area because your view is blocked by a bridge or a truck. Good riders have good imaginations. Ask yourself what **might** be there that you can't see yet. What you can't see can hurt you.

Checking the road surface

Road conditions and surfaces cause more trouble for motorcycles than other vehicles. When looking ahead and scanning the road, good riders always look for problem spots on the surface. They learn to see these spots well ahead, so they don't have to look down at the road surface.

Follow these tips:

- Keep checking the road surface ahead for slippery spots, bad bumps, broken pavement, loose gravel, metal plates, polished pavement, wet leaves or objects lying on the road.
- When riding in winter conditions, be alert for ice or snow patches on the road.
- Use caution on pavement markings since they are slippery.

Using mirrors

Rear traffic is almost as important to the motorcycle rider as traffic ahead. Good riders check their mirrors every few seconds to keep track of traffic coming from behind. You should have a good picture in your mind of what is back there so you won't be caught off guard when somebody passes you, and so you can safely and quickly stop or swerve if an emergency develops up front.

Mirror checks are especially important in these situations:

- a) When you have to slow down or stop suddenly. There may be someone behind you.
- b) When you are stopped at an intersection.

In both situations, if the driver behind you isn't paying attention, they could be right on top of you before they notice you are there. You have to be prepared to get out of the way.

- c) Any time you turn. Watch cars behind you, especially if you plan to slow down and turn where others may not expect it, such as into alleys, driveways and side streets.

Again, the driver behind you may not see you or may not slow down. It may be better to not turn, and to continue on.

- d) Any time you change lanes; make sure no one is about to pass you.

Many motorcycles have convex mirrors. They give a wider view of the road behind them than flat mirrors. However, they also make cars seem farther away than they really are. If you are not used to convex mirrors, try this: while you are stopped, pick out a parked car in your mirror. Try to form a mental image of how far away it is. Then turn around and look at it. See how close you came. Practise this until you become a good judge of distance. Even then, allow extra distance before you change lanes.

Shoulder check

Remember, mirrors don't give you the whole traffic picture. Always make a final shoulder check to ensure you can safely make a move. Turn your head in the direction you plan to move before you change lanes or move within your lane.

Learning to predict

Traffic laws and rules of driving courtesy tell what you and other drivers are supposed to do in any situation. A motorcyclist could just ride along assuming that other drivers will always obey the rules. This kind of prediction is certain to get the rider seriously injured.

Good riders are always asking themselves what other drivers are **really** going to do, not what they are **supposed** to do.

In order to predict what other drivers will do, the rider has to think about three things:

1. What does the other driver want to do?
2. Am I in the way?
3. Does the other driver see me?

The other drivers on the road want to get where they're going without delay. They will do whatever is necessary to keep moving. For instance, if a driver's lane is blocked by a stalled car, the motorist will want to change lanes to keep moving. If the driver is stopped at a stop sign, they will want to pull out as soon as possible. To predict what the driver is **actually going to do**, you have to put yourself in the other driver's position.

Drivers of cars involved in collisions with motorcycles often say they didn't see the motorcycle soon enough to avoid the collision.

A motorcycle can be difficult to see. From ahead or behind, its outline is much smaller than a car's. Motorcycles that aren't seen are often hit. If a driver does not see you, they may pull out or turn in front of you, or cut you off.

Even if the driver does see you, you might be hit if they:

- misjudge your speed
- are impaired
- are unconcerned about your well-being

Only the motorcycle rider can make the motorcycle more noticeable. There are a number of things you can do to stand out.

Headlight

Motorcycles are required to have a headlight that illuminates when the engine is running and the motorcycle is in a forward gear. If your bike does not, turn on the headlight when riding. This improves your chance of being seen by other drivers. One study showed that motorcycles are seen one and a half times better when the headlight is turned on during the day than when it's not.

The headlight helps, but it's not the whole answer to the daytime motorcycle visibility problem. The headlight is most visible from straight ahead of the motorcycle. From an angle, it doesn't look very bright and can't help much.

From the side and rear, of course, it has no effect at all. Tail lights aren't bright enough to help much during the day, either.

Clothing

Light, bright-coloured clothing and a helmet make you more visible during the day, especially from angles where the headlight can't help. Yellow, orange, red and other bright colours are highly visible; black and dark colours are not.

Be visible – wear bright-coloured clothes and helmet.

Nighttime visibility

At night you depend mostly on your lights to make you visible to other drivers. This works well most of the time, but not always. If you're riding alone on a dark road, your headlight will be visible to a driver ahead. But if you are in traffic with other headlights behind you, a driver ahead may not be able to pick your single light out of all the lights behind. This problem is especially bad when the roads are wet, because the lights reflect off the road surface.

If you're ahead of a group of cars at night, slow down. Other drivers are even more likely than usual to turn in front of you.

Tail light and side reflectors improve nighttime visibility to the sides and rear. But again, a single tail light can get lost against the background of other lights. It can be hard for drivers to tell how far away the light is, even if they see it. You can help by adding reflectors or reflective tape to the rear of the bike, or by wearing a jacket with reflective material on it.

Horn

The horn on most motorcycles is not much of an attention-getter. Nevertheless, be ready to use it whenever you're passing a car, or approaching a driveway or intersection with a vehicle in it that might pull out in front of you. It's also a good idea to use your horn before you pass anyone you think might move into your lane.

Here are some situations to watch for:

- a driver accelerating in the lane next to you
- a driver sitting in a parked car
- a person walking or riding a bicycle in the street

Don't be afraid to use your horn if you have any doubts about what others might do.

Signalling

Turn signals do two things. First, they tell others what you plan to do. Use them any time you change lanes, whether someone else is around or not. Remember, it's when you don't see the vehicle that your signals are most important.

Second, your signal lights make you more visible. A driver behind you is more likely to see your turn signal than your tail light. Therefore, make it a habit to use your turn signals even when what you plan to do is obvious. For example, if you use your turn signals on a freeway entrance ramp, it's more likely that cars on the freeway will see you and make room for you. Using hand signals in addition to electronic signals greatly increases your visibility.

Caution

Forgetting to turn a signal off is as dangerous as forgetting to turn it on. A driver may think you plan to turn and pull right into your path. Always check your instrument panel to see if you've left a signal on.

If you have a motorcycle that was built prior to 1974, and was not equipped with signal lamps, use hand signals. For more information, see the *Saskatchewan Driver's Handbook*.

Brake light

You can help others notice you by tapping the brake pedal lightly to flash your brake light before you slow down. It's important to flash your brake light as a signal that you're going to slow down when you're:


- being closely followed
- making a tight turn off a high-speed highway
- slowing or turning in the middle of a block, at an alley or at some place where others might not expect you to turn

When you park, angle the motorcycle at a 45 degree angle and 15 cm from the curb. This gives you better visibility when pulling out, and other drivers on the street can see your parked motorcycle and won't start to pull into the parking space. Also, the driver of the car parked ahead of you is more likely to see your motorcycle in the rearview mirror before backing up.

Left turn in front of motorcycle

The most common cause of motorcycle/car collisions is the car turning left in front of the motorcycle. The car driver either doesn't see the motorcycle or misjudges its speed. The motorcycle rider may not be completely innocent in this situation if the motorcycle is going faster than the driver would expect. When you approach an intersection with a car waiting to turn left:

1. Prepare to reduce speed and be ready to brake.
2. Get ready to blow the horn.
3. Think about what you'll do if the car turns in front of you. Where will you go? Is there a clear area to swerve? How fast will your bike stop on that pavement?
4. Don't let your mind focus too long on the left-turning vehicle. Is there something else in the intersection that could cause trouble too, like another car or a pedestrian?




6. Position – Learning your place on the road

Motorcyclists don't have the protection around them that other drivers have, so they have to make their own protection.


Lane position – blocking

A motorcycle rider has some choice of where to ride in the lane. The best choice is the blocking position, a little to one side of the centre of the lane. The **blocking position** discourages other drivers from trying to squeeze past the same lane as the motorcycle.




Position 1 – WRONG

The centre of the lane does not provide visibility around the vehicle ahead of you. It is coated with oil thrown from cars and is slippery when wet.



Position 2 – CORRECT

When travelling the curb lane or next to a parking lane, a motorcycle driver should be slightly to the left of the centre of the lane. This is your blocking position and protects you in case a driver opens the door of a parked car.



Position 3

On multi-lane streets with or without boulevards

By travelling in this position – just slightly to the **right** of the centre of the lane – you’re in a blocking position, the proper riding position.




Position 4

Centre lane

When driving on a **road** with three or more lanes, always ride left of centre unless you are in the extreme left lane, in which case you should ride right of centre.

Turning position


Good riders are careful to maintain the proper blocking position when they turn.



Position 5

**Making a proper right turn
(when lane opens up at intersection)**

It's more complicated when approaching an intersection where the lane opens up. Because the stop line is further out, you must move over from your normal blocking position in the curb lane to prevent a car from coming up on the inside on the wider part of the road. Make a shoulder check; move over to the right about 1.2 m from the edge of the roadway; make your right turn and then make another shoulder check and move back to the proper blocking position – to the left of the centre of the lane.



Position 5A


**Making a proper right turn
(no change in lane size at
intersection)**

When approaching an intersection where the right lane remains the same size, position your motorcycle right of centre in the curb lane, make your right turn into the first available driving lane, then shoulder check and move back to the proper blocking position to the left of the centre of the lane.

Making a proper left turn

Steps to making a properly blocked left turn:


1. Ride in the correct blocking position for the street you are travelling on. As you approach the intersection, make the necessary lane changes so that you're in the left blocking position of the left lane.
2. In the left lane make your turn while maintaining the left blocking position throughout the turn.
3. After completing the turn, move to the correct blocking position of the street you turned onto.



Position 6

Proper position for multi-lane streets

To ensure you are most visible to oncoming traffic when preparing to make a left turn, shoulder check to the left to ensure your lane is clear and move slightly to the left, close to the centre line, before making the turn. Maintain this position throughout the turn. Once the left turn is complete, shoulder check to the right to make sure your lane is clear and move slightly to the right of the centre of the lane to resume proper blocking position.



Position 6A

Proper position for single-lane streets

When making a left turn to and from a single-lane street, the proper position is to start and end your turn slightly to the left of the centre of the lane. Maintain this position throughout and as you complete the turn.


The best protection a rider can have is distance – distance between the rider and other people’s mistakes. Keeping plenty of space around you gives you two things:

- time to react to trouble
- some place to go

Gates

You should maintain **gates** around you and keep your defensive eye alert for all other traffic:

- ahead of you
- behind you
- approaching you
- approaching from the side
- you are passing
- passing you



Monitor your gates regularly. (See the *Saskatchewan Driver’s Handbook* for an explanation of gates.)


Distance in front

Good riders keep at least a three-second distance between themselves and the vehicle ahead. This increases their ability to see and be seen in traffic and gives them plenty of time to react if something happens ahead. It also gives a better view of things in the road, such as potholes, slippery spots, chunks of tire tread or debris. If conditions are less than ideal, such as in bad weather, maintain an even greater following distance.

Three-second rule

For proper following distance, use the three-second rule.

1. The car ahead is approaching a check point (a power pole, road sign, etc.).
2. Begin counting as the rear of the car ahead passes the check point.
3. If it takes less than three seconds to reach the check point, you’re too close.



4. Three seconds (one-thousand-one, one-thousand-two, one-thousand-three) is correct for ideal conditions. Allow more space in poor conditions.



Keep well behind the vehicle ahead even when you are stopped. This will make it easier to get out of the way if someone bears down on you from behind.

Distance to the side

Motorcycle riders can do one thing other drivers cannot – they can move across the lane to increase their distance from other vehicles. An experienced rider changes position in the lane as traffic conditions change.

Vehicles alongside

Don't ride beside other vehicles if there is no need. A vehicle in the next lane could change into your lane at any time without warning. Vehicles in the next lane also block your escape if you run into danger in your own lane. Speed up or drop back until you find a place that is clear on both sides.

Here are some of the conditions that require changes in lane position:

Being passed


When you're being passed from behind or by an oncoming vehicle, move a little toward the centre of the lane. There's no point in being any closer to a passing vehicle than you have to be. A slight mistake by either driver could cause a sideswipe. Moving towards the centre of the lane also helps to keep you out of the way of extended mirrors, things thrown from windows or kicked up from the tires of other vehicles.

Give way to large trucks. They can create air turbulence that affects your control. You have more room for error if you move away from the truck.

Passing vehicles

When passing parked or moving cars, the motorcycle rider has an advantage over the automobile driver. By staying in the left portion of the lane, you can avoid the problems caused by doors opening, drivers getting out of cars or people stepping from between cars. On the highway it gives you a wider safety zone between you and the vehicle you are passing.

A bigger problem is cars pulling out. Drivers often take a quick look behind them and fail to see a motorcycle. Cars making U-turns are a particular danger. Suddenly the car turns across the road and blocks the lane, leaving the motorcyclist with no place to go. If you see a car pulling out, approach very cautiously.




Lane changes

Weaving in and out of heavy traffic is a sure sign of a careless rider.

When you have to change lanes or change position in a lane, make sure there's no overtaking traffic. **When it is safe, look, then signal and look again before changing lanes.**

Turn your head and make a shoulder check. That's the only sure way to see a vehicle behind you in the next lane, so it's particularly important. There's very little chance a driver in the next lane can react quickly enough to avoid you once you've started to move.

On a roadway with several lanes, check the far lanes as well as the one next to you. Another driver may be headed for the same space you are.



Sharing lanes

Motorcyclists are allowed to ride two abreast, but most riders prefer to have a full lane width. Motorcycle drivers shouldn't share lanes with cars. The best way to stop lane sharing is to keep your blocking position, especially in situations where other drivers might be tempted to squeeze by you.

Pay close attention when:

- You're in heavy bumper to bumper traffic.
- You're preparing to turn at an intersection, entering an exit lane or leaving the highway.
- Another driver wants to pass you. If you move to the far side of the lane in these situations, you invite the driver to share the lane with you.
- Overtaking a car in your lane. Pass in the same manner as if you were driving an automobile.

Lane splitting



Don't do it! In heavy traffic, some riders try lane splitting (riding on the line between lanes of traffic). This is very dangerous and a violation of the law. It puts the bike too close to other vehicles, and other drivers aren't expecting the motorcycle to be there. Just a small movement – a car starting a lane change or a door opening – can cause an unavoidable crash. There's just no place to go.

Aside from the danger to the rider who does it, lane splitting causes trouble for all motorcycle riders. It is an irresponsible act that makes other motorists lose respect for motorcycle riders. In these situations it is best to stay in the lane and move at the speed of other traffic.

Distance behind



Many riders complain about tailgaters (people who follow others very closely). If someone is following you too closely, change lanes and let the tailgater pass.

If a driver still follows you too closely, when the way is clear for a safe pass, slow down so the tailgater can pass.





Position for seeing

As a motorcycle rider, you can put yourself in a position to see things that another driver cannot see.



Blind curves

You can move to one side of the lane or the other to get a better view through the curve. However, use extreme caution as you may encounter debris or gravel along the edge of the road.



At blind intersections

After stopping, you should ease forward past obstructions to see if anyone is coming.


At the roadside

You can angle a motorcycle across the road so that you can see both directions.

7. Position for being seen

Where the rider positions the motorcycle on the road also affects how well other drivers can see it. Experienced riders think about what other drivers can see from where they are. These riders have learned to see themselves as others see them.

Don't ride in another driver's blind spot. Either pass the other driver or drop back. When you pass another vehicle, get through the blind spot as quickly as you can. Approach cautiously, but once you're alongside, get by quickly.




Look out for intersections

Most collisions between cars and motorcycles happen at intersections. Drivers often have a hard time seeing a motorcycle coming directly at them. A vehicle may make a left turn across the motorcycle's path or may pull out from a side street. These are two leading causes of motorcycle collisions at intersections.

To cut down your chances of being hit:

1. Approach slowly. If a driver does pull out suddenly, your chances of making a quick stop or a quick turn are better.
2. Move as far away from the other vehicle as you can. Always drive in the lane position that will make you the most visible.
3. Move away from things that could block the other driver's view. When you approach an intersection where there's a car waiting to pull out, move toward the centre of the road so that you're in the other driver's line of sight.



8. Riding at night

Riding at dusk, night and dawn is even more dangerous than riding in the day. This is why Endorsement 6 (Learner) motorcycle drivers in the MGDL program are prohibited from riding between the 1/2 hour before sunset until the 1/2 hour after sunrise. The majority of fatal crashes happen after dark, or in low-light conditions.

One of the major problems for motorcyclists driving at night is alcohol abuse. Driving after drinking is a problem for motorcyclists, whether they have been drinking or they are trying to avoid being hit by impaired drivers. Motorcyclists in the MGDL program, regardless of age, are restricted to zero blood alcohol content (BAC) and must not be impaired by alcohol or drugs while riding a motorcycle.

Another major problem when driving at dusk, night and dawn is reduced visibility. You cannot see or be seen as well in low light conditions as you can in the day.

Other considerations

Keep your headlight clean

Dirty lights mean less light.

Use your high beam

Get all the light that you can. Use your high beam whenever you are not following or meeting another vehicle.

Wear reflective clothing

Remember to take warmer clothing if you're going to be out at night.

Reduce your speed

If there is something lying in the road ahead, you will not be able to see it until you are very close to it. If you are going too fast, you may not be able to avoid it. It is important to reduce your speed at night, particularly on roads that you don't know well.

Use the car ahead

If there is a car ahead, you can use it to your advantage. Its lights can give you a better view of the road ahead than your own light. Car tail lights bouncing up and down can alert you to bumps or rough pavement.

Increase distance

Distance is more difficult to judge at night than in the day. You can make up for this by allowing extra distance. Follow at a greater distance from the vehicle ahead. Leave more room on either side of you when riding alongside other vehicles. Give yourself more distance to pass. (For more information, see the *Saskatchewan Driver's Handbook*.)

9. Handling dangerous surfaces

A motorcycle is balanced on only two wheels. To stay upright, the two wheels must have good traction. Any surface that affects the motorcycle's traction will affect its steering, braking and balance. Any slippery surface reduces your control and increases your chances of falling.

Slippery surfaces

Slippery surfaces can pose hazards to driving. Be cautious of:

- wet pavement, particularly just after it starts to rain and before oil washes to the side of the road
- leaves, sand and gravel on hard surfaces such as pavement, especially in spring before the sand has been cleaned from the streets
- mud, snow and ice
- worn, polished pavement, particularly when wet

There are a number of things you must do to operate safely on slippery surfaces:

Reduce speed

It takes longer to stop on slippery surfaces. You must make up for this by going slower, especially in curves. Remember, speed limits posted on curves apply to ideal surface conditions.

Avoid sudden moves

Any sudden change in speed or direction can cause a skid on slippery surfaces. Therefore, you should turn, brake, accelerate and change gears as little and as smoothly as possible.

Use both brakes

The front brake is still more effective than the rear brake, even on slippery surfaces.

Avoid the worst slippery areas

Try to find the best area of pavement and use it.

Oil from other vehicles tends to build up in the centre of the lane, particularly near intersections where vehicles slow down or stop. On wet pavement, therefore, it is better to operate in the track created by the wheels of moving vehicles. However, you should avoid driving through standing water.

Old, worn pavement is often polished smooth. When it is wet, it is very slippery. You can see these extra-slippery sections if you look for the shiny areas on the road.

Dirt and gravel tend to collect along the sides of the pavement. It is important to stay away from the edge of the road when you make sharp turns at intersections or enter and leave freeways.

Use extreme caution if you are riding in early spring before the street sweepers have removed the winter accumulation of sand.

Certain sections of the road dry out faster after a rain or snowfall. Try at all times to stay in the best part of the lane.

Gravel roads

Traction on gravel roads is not as good as on pavement. Some areas are better than others. Stay in the tire tracks away from the loose gravel at the edge of the road and avoid any sudden movements.

Grooves and gratings

When you ride over a badly rutted surface or a metal bridge grating, the motorcycle will tend to wander back and forth. While this may give you an uneasy feeling, it is not generally dangerous. Therefore, the best thing to do is stay on course, grip the controls firmly and ride straight across.

Ice or wet wooden surfaces

It is almost impossible to maintain balance on ice or wet wooden surfaces. Avoid these surfaces if at all possible. If you can't avoid one of these areas, slow down as much as possible before you get to it.

Uneven surfaces


Watch for uneven road surfaces such as bumps, broken pavement, potholes, railway tracks and construction areas. If the condition is bad enough, it could affect your control of the motorcycle. This is how to handle uneven surfaces:

1. Slow down to reduce the impact.
2. Keep your motorcycle as upright as possible and avoid turning.
3. Rise slightly on the footrests so that you can absorb the shock with your knees and elbows.

Railway tracks

Remember to check for trains before crossing any railway tracks. Slow down and cross at an angle between 45 to 90 degrees to prevent the wheels from getting caught in the tracks.

It is necessary to turn when you want to cross something that is running parallel to your course, such as railway or streetcar tracks, ruts in the middle of the road or a pavement seam. To cross something running parallel to you, move away far enough to be able to cross it at an angle. Then make a quick sharp turn. Do not try to edge across it. It could catch your tires and upset your balance.



10. Riding in bad weather

Rain

Riding in the rain presents several problems. The road is slippery, you cannot see or be seen as well, and your brakes may be less effective. If you're caught in the rain and don't have a rainsuit, you should get off the road if you have a long way to go to your destination.

When riding in the rain, you must slow down and ride very smoothly. Try to avoid shiny spots on the road. They are polished and slippery. A puddle could hide a large pothole and traction is worse in deeper water. Test your brakes periodically. A very light application of the brakes will dry them out if necessary.

You may also have difficulty seeing out of your helmet's visor and you may have to raise it slightly, just enough to allow some air to circulate behind it. If your motorcycle is equipped with a windscreen, you need to be able to see over it when seated during normal riding. You will not be able to see through the windscreen in heavy rain or fog. Some gloves designed for motorcyclists have a chamois surface on the back which you can use to wipe water off the face shield.

Do not ride during thunderstorms to avoid the risk of being struck by lightning.

Fog

Fog reduces your ability to see road conditions and other drivers, and to be seen yourself. An expert rider will watch for fog in low lying areas and by lakes or rivers close to the road. Fog may be present at sunrise, sunset or other times when the air temperature is rapidly changing. As in rain, you will have to wipe your face shield or raise it to be able to see out.

In really heavy fog you will be able to see only a few metres. Any time you cannot see farther than your stopping distance, you are riding blind. If there is something stopped on the road, you will hit it. If you slow down enough to be able to stop in heavy fog conditions, you may very well be hit from behind, so either way you lose. The only smart thing to do is find a safe place to stop and wait for conditions to improve.

Winter riding

In the section on perception and prediction (section 5), the importance of predicting what other drivers may do was emphasized. In winter or in cold weather, even if the road conditions are good, other drivers will not be expecting to see motorcyclists. Expert motorcyclists must be even more careful of what other drivers may do and should assume that other drivers have not seen them.

The motorcyclist must also anticipate sudden changes in the road surface. Icy or snow-covered patches may be found at:

- shady parts of the roadway
- bridges
- open, wind-swept areas
- side roads not completely cleared

If you find you are unable to avoid riding on a very slippery surface such as ice or snow, slow down as much as possible before you get to it. Pull the clutch, coast across and stay off the brakes. On a long section of snow-covered roadway, try to ride on loose or fresh snow. Hard-packed snow has less traction than loose snow.

The other danger of riding in winter is the cold. The cold will affect the performance of both rider and equipment. Here are some things to watch for:

- cold weather lowers tire pressure, so check it regularly
- your face shield will have a greater tendency to fog
- wear sufficiently warm clothing

11. Being in shape to ride your bike

Riding a motorcycle is more demanding than driving any other vehicle. You must be in good physical and mental shape to ride safely. Three things that often keep cyclists from being in shape to ride safely are alcohol, drugs and fatigue.

Drinking, drugs and driving

In Canada, it is a Criminal Code offence to drive while under the influence of alcohol or drugs.

Facts about drinking and driving

Alcohol, although legal, is an addictive drug that depresses the central nervous system (brain) and may change your mood and behaviour.

- In Saskatchewan, a drinking driver is involved in four out of every 10 fatal collisions.
- There is a drinking driver in one out of 11 collisions where someone is injured.
- Between 1:30 and 3 a.m., every eighth driver is legally impaired by alcohol.
- On average, throughout most evenings, every 32nd driver is legally impaired by alcohol.

The impairing effects of alcohol and drugs

Alcohol and drugs affect everyone differently. Contributing factors for impairment include age, gender, physical condition, amount of food consumed, medication and other factors.

The brain functions first affected by alcohol or drug consumption are not only important to our ability to drive safely, but are the same ones required to make rational decisions about not driving after drinking. For this reason, you must make the decision to separate drinking and drug use from driving. Make the necessary alternate transportation plans before your activities begin.

Prescriptions, over-the-counter and illegal drugs all affect your brain function. Some will directly affect your driving. Brain and body activity may be slowed, directly impacting a driver's reaction time; vision may be blurred, or doubled,

or there may be inaccurate depth perception. Some drugs cause hallucinations, paranoia, disorientation, anxiety or over-confidence which may result in aggressive behaviour.

Many people think that driver impairment is caused exclusively by ingestion of alcohol. However, if that person already has another drug in their system, the impairing effect on the functioning of the central nervous system (brain) is far greater than the impairing effect of the alcohol and the impairing effect of the other drugs added together; it is not a simple adding together of impairment, but rather a multiplier effect!

Do not drive while under the influence of any amount of alcohol or drugs.

Note: Impaired driving legislation is applicable to impairment by alcohol, as well as impairment by any other drug (whether legal or illegal).

For additional information on drinking, drugs and driving, please visit sgi.sk.ca.

Fatigue

Fatigue impairs your ability to perceive and react to emergencies.

Here are some things you can do to prevent fatigue:

- Dress warmly to protect yourself from the elements. Wind, cold and rain make you tire quickly. A fairing or windshield is worth its cost if you plan to do a lot of travelling.
- Limit your distance.
- Take frequent rest breaks. Stop and get off the bike.

If you ever feel that you don't want to ride your bike – then don't. If you're over-excited or depressed, leave the bike at home because that's the day you may be in a collision.

Remember, driving a bike takes your full concentration and attention!

12. Owning and maintaining a motorcycle

Accessories and modifications

A safe motorcycle can be quickly turned into a menace. If you add accessories incorrectly or change the motorcycle in any way, it may seriously degrade the motorcycle's handling. Here are a few things to avoid:

Highway pegs

These are pegs mounted on the front of the motorcycle to allow the rider to stretch their legs. The pegs may make the rider more comfortable.

The problem is:

- it takes too long to reach the foot brake in an emergency
- operators don't have the footing needed to maintain balance

Sissy bars

This is a high bar or frame mounted on the back of the seat.

The problem is:

- when loaded, they change the motorcycle's centre of gravity and affect its balance
- they make it harder for the operator and passenger to get off the motorcycle in a hurry

Ape hangers

These are high handlebars that extend above the operator's shoulders.

The problem is:

- they are illegal
- they reduce steering control
- they block your vision

Extended forks

These are much longer than standard forks and are installed by some riders for styling.

The problem is:

Extended forks increase the rake angle which:

- reduces steering precision
- increases stress on the frame and steering components

Road race handlebars

Extra low, clamp-on type bars are sometimes used by riders.

The problem is:

They may create discomfort and fatigue and make it harder to make good shoulder checks.

Touring modifications

Fairings, trailers, luggage attachments and containers may overload the bike, change its handling characteristics or cause a tire blowout. Riders in the MGDL program are not permitted to tow a motorcycle trailer.

13. Emergencies

No matter how good your perception and predictions are, there will be times when you find yourself in a tight spot. Your chances of getting out safely depend upon your ability to react quickly and precisely. Some riders panic and freeze, doing nothing at all. Expert riders have a number of ways to get out of emergencies, and they keep trying until they find one that works.

Quick stops

The front brake supplies about three-quarters of your braking power, so you must use both brakes to stop quickly. Apply both brakes with a progressive squeeze without locking the wheels. Pull in the clutch.

If the rear wheel does lock, do not release the brake until you've come to a complete stop.

Emergency steering

Even a quick stop may not be enough to keep you from hitting something in your path. A vehicle ahead might stop suddenly or pull out and partly block the lane. You may be able to steer around an obstacle quicker than you can stop. The only way to avoid a collision could be with a quick turn.

The key to making a quick turn is to get the motorcycle to lean quickly in the direction you wish to turn. The sharper the turn, the more the bike must lean (see page 15).

Stay in your own lane in an emergency. The moment you change lanes, you risk being hit by another vehicle. You should be able to squeeze by most obstacles without leaving your lane. This is one time when the size of the motorcycle is in your favour. To avoid being hit, you can go into spaces too small for a car.

Going into a turn too fast

A major cause of serious motorcycle collisions is running off the road in a turn or a curve. One of two things seems to happen:

1. The rider badly misjudges a safe speed and goes into the turn much too fast, slides off the road and crashes into something.

2. Inexperienced riders think they can't turn sharply enough to make a turn, then brake too hard, lock the wheel, slide off the road and crash.

Inexperienced riders sometimes crash at speeds at which a more experienced rider could handle and make the turn.

Until you learn the cornering limits of your motorcycle, be especially careful to slow down enough for turns. If possible, do all your braking before you get into your turn.

When making a turn, you might find that you can't make it at the speed and lean angle you started with. Don't panic. You can probably lean the bike over more and turn tighter. The key to tightening up a turn safely is to do it smoothly and gently.

Riding over objects

Sometimes you have no choice but to ride over an object in your path. A length of tailpipe may be too close to steer around. Handling objects is a lot like riding over uneven surfaces.

Here is what to do:

1. Hold the handle grips tightly so that you don't lose your grip when the front wheel hits.
2. Keep a straight course. This keeps the motorcycle upright and reduces the chance of falling on impact.
3. Rise slightly on the footrests. This allows your legs and arms to absorb the shock and helps keep you from being bounced off as the rear wheel hits.
4. Do not brake while going over the object.

Following these four steps lets you ride safely over most obstacles found on the highway. It's a good idea to stop and check your tires and rims for damage after riding over an object.

Flying objects

From time to time you may be struck by insects, cigarette butts thrown from windows or stones kicked up by the tires of the vehicle ahead. If you do not have face protection, you could be struck in the eye or the face. If you are wearing face protection, it could become smeared or cracked, making it difficult to see.

Whatever happens, **don't let it affect your control of the motorcycle.** Keep your eyes on the road and your hands on the handlebars. As soon as it's safe, pull off the road and repair the damage.

Animals

Naturally, you should do everything you can to avoid hitting an animal. However, if you are in traffic, don't swerve out of your lane to avoid hitting a small animal. You have a better chance of surviving an impact with a small animal than a collision with another vehicle.

Motorcycles are often chased by dogs. To avoid this, slow down a bit and down shift as you approach the animal. As you reach it, speed up. You will leave the dog behind so quickly that it will usually lose interest. If you find yourself being chased, don't kick at the animal. It's too easy to lose control of the motorcycle.

Mechanical problems

Things that go wrong with the motorcycle itself can also cause emergencies. Three critical emergencies are a tire blowout, stuck throttle and wobble.

Tire blowouts

If you have a tire blowout, you will need to react quickly to keep your balance.

You cannot always hear a tire blow. You have to be able to detect a flat tire from the way the motorcycle reacts. If the front tire goes flat, the steering will feel heavy. If the rear tire goes flat, the back of the motorcycle will tend to move from side to side.

Here is what to do if you have a blowout while riding:

1. Hold the handle grips tightly and concentrate on steering. Try to maintain a straight course.
2. Stay off the brake. Gradually close the throttle and let the motorcycle coast.
3. If it is the front tire that has blown, shift your weight as far back as you can. If it is the rear tire, stay where you are.
4. Wait until the motorcycle is going very slowly, then edge toward the side of the road and stop.

Stuck throttle

When you try to close the throttle, you might find that it won't turn or the engine won't slow down. If there's traffic ahead or you're making a turn, you must react quickly to prevent a collision.

Here's what to do if you have a stuck throttle while riding:

1. Turn off the engine with the kill switch and pull in the clutch.
2. If the motorcycle does not have a kill switch:
 - a) you may be able to leave the clutch out and stop the engine with the brakes; or
 - b) you could pull in the clutch and let the engine race until you can stop and turn it off with the key. This method could result in damage to the engine.
3. Park the bike until you can get it fixed.

Wobble

Sometimes when going at a fairly high speed, the front wheel can suddenly begin to wobble (shake from side to side). Some things that can cause a wobble include:

- a windshield or fairing that is improperly mounted or not designed for the motorcycle
- loose steering-head bearings
- worn steering parts
- a wheel that is bent or out of alignment
- loose wheel bearings
- loose spokes
- improper tread design
- road surface

Excessive speed will increase the likelihood and severity of these problems.

The only thing you can do in a wobble is to ride it out:

1. Firmly grip the handlebars and put your weight forward. Don't try to fight the wobble.
2. Gradually close the throttle and let the motorcycle slow down. Don't apply the brakes; it could make the wobble worse. Never accelerate.

Pull off the road as soon as you can. If you are carrying a heavy load, distribute it more evenly. If you are at a gas station or have a tire gauge, check your tire inflation.

Chain breakage

Chain failure usually is caused by a worn or stretched chain that doesn't fit the sprockets properly, or by worn sprockets. When the chain breaks, you'll notice it because you'll instantly lose power to the rear wheel and the engine will speed up. If the chain locks the rear wheel, you won't be able to disengage it and it could cause your cycle to skid.

Engine seizure

Engine seizure means that the engine locks or freezes, and it has the same result as a locked rear wheel. However, there is usually some advance warning, giving you time to respond.

Engine seizure is caused by overheating or lack of lubrication. Without oil, the engine's moving parts will no longer move smoothly against each other, and the engine will overheat. The first symptom may be a loss of engine power. You may also notice a change in the engine's sound.

If your engine starts to seize, squeeze the clutch lever, disengaging the engine from the rear wheel. Pull off the road to the shoulder and stop. Let the engine cool. While you may be able to add oil and restart the engine, it should be thoroughly checked for damage.

Getting off the road

If you have to leave the roadway to check the motorcycle or to rest for a while, here are two important things to do:

1. Check the roadside

Make sure the surface of the roadside is firm enough to ride on. If it is soft grass, loose sand or if you are not sure about it, slow down before you turn onto it. Since drivers behind might not expect you to slow down, make sure you check your mirror, give a clear signal and shoulder check before moving.

2. Pull well off the road

Get as far off the road as you can. A motorcycle by the side of the road can be very hard to spot. You don't want someone else pulling off at the same place.

14. Group riding

The highway is not a place to socialize. Motorcyclists riding in groups do not have any special rights. If you want to ride with others, you must do it in a way that does not endanger anyone or interfere with the flow of traffic.

Keep the group small

A large group interferes with traffic, making it necessary for cars to pass a long line of motorcycles. Also, a large group tends to be separated easily by traffic or red lights. Those who are left behind often do unsafe things in an effort to catch up. If your group is larger than four or five riders, divide it into two or more smaller groups.

Keep the group together

Another way to prevent “catch-up” is to keep the group together. There are several ways of doing this.

Plan ahead

If you are the leader, look ahead for changes. Give signals early so others know your intentions in plenty of time. Start lane changes early enough to allow everyone to complete the change. The leader should use hand signals where possible, in addition to electronic signals.

Put beginners up front

Place inexperienced riders behind the leader, where they can be watched by more experienced riders.

Check the rider behind you

Agree on a pre-set pace. Use your mirror to keep an eye on the person behind you. If they fall behind, slow down. If everyone does this, the group will stay with the tailender.

Know the route

Make sure everybody knows the route. Then if someone is separated for a moment, they won't have to hurry for fear of taking a wrong turn.

Keep your distance


It is important to keep close ranks and a safe distance. A close group takes up less space on the highway, is easier to see and is less likely to be separated by traffic lights. Driving in a close group, however, must be done properly.

Don't pair up

Although motorcycles are permitted to ride two abreast in a traffic lane, it is not recommended practice to operate directly alongside another motorcycle. If you have to avoid another vehicle or something in the road, you will have no place to go. If you have to speak to another rider, wait until you both have stopped.

Staggered formation

The best way to keep close ranks and yet maintain an adequate distance is through a staggered formation. The leader rides to the left side of the lane while the second rider stays a little behind and rides to the right side of the lane. A third rider would take the left position a two-second distance behind the first rider. The fourth rider would be a two-second distance behind the second rider. This formation allows the group to be more compact, allowing traffic to pass. On multi-lane roads, a following distance of three seconds or more is recommended.



Staggered formation can be safely used on an open highway. However, a single file should be resumed on curves, during turns or when entering or leaving a highway.

When riders in a staggered formation want to pass another vehicle, they should do it one at a time. When it is safe to do so, the lead rider should pull out and pass. When the leader returns to the lane, they should take the left lane position and keep going to open a gap for the next rider.

As soon as the first rider is safely by, the second rider should move to the left position and watch for a safe chance to pass. After passing, this rider should return to the right lane position and open up a gap for the next rider.

When group riding with multiple lanes, always maintain a staggered position with the lead bike in the left front corner of the lane.

When passing another vehicle, always pass on the left.

15. Carrying passengers and cargo

If you are an Endorsement 6 or motorcycle Novice 1 licence holder, it is illegal for you to carry passengers while operating a motorcycle. Even with an Endorsement M Novice 2, or as an unrestricted motorcycle operator, you should avoid carrying passengers or large loads until you are an experienced rider. The extra weight changes the way the motorcycle handles – the way it balances, turns, speeds up and slows down.

When you do start to carry a passenger, carry someone who is light before carrying a heavy person.

Here are some guidelines to follow in carrying passengers and cargo:

Passengers

Only those with an Endorsement M or who have reached the Novice 2 level in the MGD program (see page 69) are permitted to carry passengers. In order to carry a passenger safely, you must do the following:

- make certain your motorcycle is equipped to carry passengers (the passenger must not ride in front of the driver)
- instruct your passenger before you start out (see page 57)
- adjust to the passenger's weight

To carry passengers, your passenger must have:

A proper seat

The seat should be large enough to hold both you and your passenger without crowding. You should not have to move any closer to the front of the motorcycle than you usually do. A passenger should not hang over the end of the seat.

Footrests

There must be footrests for your passenger. Without a firm footing your passenger can fall off and pull you off, too.

Protective equipment

A passenger must wear a legal helmet and should have the same type of protective equipment and clothing worn by the driver.

A passenger on a motorcycle operated by a driver with an M Endorsement and a Novice 2 restriction must have their arms and legs covered and must wear:

- an approved three-quarter, modular or full-face motorcycle helmet
- hand-covering gloves
- ankle-covering boots

You should also adjust the mirrors and headlight to the change in the motorcycle's angle. Have the passenger sit on the seat while you make the adjustments. If you carry a passenger, it is a good idea to add pressure to the tires (check your owner's manual). If the shock absorbers are adjustable, they should also be adjusted to carry the added weight.

Riding with passengers

When you are carrying a passenger, the motorcycle responds more slowly. It takes longer to speed up, slow down or make a turn. The heavier the passenger or the heavier the bike, the longer all of these things take. To adjust for added weight of the passenger, you should:

- operate at a somewhat lower speed, particularly on corners, curves or bumps
- begin to slow down earlier than usual when you approach a stop
- allow a greater following distance and keep more distance between you and other vehicles to either side
- look for larger gaps whenever you cross, enter or merge with traffic

Warn your passenger when you are about to start moving, stop quickly, turn sharply or ride over a bump. Otherwise, talk as little as possible.

Instructing passengers

Don't assume the passenger knows what to do, even if they are a motorcycle rider. Provide complete instructions before you start.

A passenger should be told to:

- Notify the operator when you are ready to mount or dismount and wait for approval. This prevents surprise shifts of balance.
- Hold the operator's waist or hips. This braces the passenger for acceleration or braking. Keep both feet on the footrests at all times.
- Keep hands and feet away from moving and hot parts.

- Look over the rider's shoulder in the direction of the turn.
- Avoid sudden moves that might affect stability.
- If the rider rises off the seat, so too should the passenger.
- Enjoy the ride!

Carrying loads

A motorcycle is not really designed to carry cargo. However, a small load can be carried safely if it is properly positioned and fastened.

Keep the load low

Secure loads to the seat or put them in saddlebags. Do not pile loads against a sissy bar or frame on the back of the seat. This will change the centre of gravity and disturb the balance of the motorcycle.

Keep the load forward

Place the load over or forward of the rear axle. Anything mounted behind the rear wheel can affect how the motorcycle turns and brakes. It can also cause a wobble.

Distribute the load evenly

If you have saddlebags, make certain the load in each one is about the same. An uneven load can cause the motorcycle to pull to one side.

Secure the load

Fasten the load securely with elastic cords or ropes. A loose load can catch in the wheel or chain. If this happens, the rear wheel may lock up and make the motorcycle skid.

Check the load

Check the load regularly when you are stopped. Make sure it has not worked loose or moved.

16. Maintenance

Weekly motorcycle inspection

Read your owner's manual and save it for future reference, should something go wrong with your motorcycle.

There is only one way to spot problems before they cause trouble. Inspect the motorcycle carefully and fix things right away. Earlier in this manual, we described checks that should be made each time you ride. Here are some things to check once each week:

Tires

Check the tread to make sure it is deep enough. You should have no less than 1.6 mm of tread depth left in any groove. Motorcycle tires normally have tread wear indicators in the tread grooves that help to determine whether tread depth is getting low. Once the indicators are level with the tread surface the tire should be replaced. Inadequate tread depth will greatly reduce your braking traction on wet roads. If the wear is uneven, have the wheels balanced and the alignment checked. Make sure the air pressure is correct, as many blowouts are due to low air pressure.

Also check for cuts, scrapes, exposed cord, abnormal bumps or bulges, or any other visible tread or sidewall defect.

Wheels

Check both wheels for missing or loose spokes. Check the rims for cracks or dents. Lift the wheel off the ground and spin it. Watch its motion and listen for noise. Also move it from side to side to check for looseness.

Controls

Check the controls for smooth operation. Check the cables for kinks or broken strands. Lubricate the control mechanisms at the each end of the cable.

Chain and sprockets

Oil the chain and check for wear. Your owner's manual will describe when and how to tighten a chain.

Shock absorbers

Does your motorcycle bounce several times after it crosses a bump? Do you hear a clunk? If so, your shock absorbers may need to be adjusted or replaced.

Fastenings

Check for loose or missing nuts, bolts or cotter pins. Normal vibration loosens parts. If you keep the motorcycle clean, it is easier to spot missing parts.

Brakes

If you hear a scraping sound when you try to stop, or if the brakes feel spongy, have them serviced immediately.

Fluid levels

If your motorcycle has hydraulic brakes, check regularly that the fluid level is high enough.

Drive line

Chain breakage is very dangerous. Maintain the chain and replace it when necessary. Check for slack and lubrication.

Drive shaft

Check the fluid levels.

Muffler

Modifying an exhaust system will create an excessively noisy vehicle that can be very annoying to the public. A motorcycle driver with an altered muffler may be guilty of an offence.

17. Driver's licence information

You must not operate a motorcycle on any street or highway unless you hold an endorsement authorizing the operation of a motorcycle.

The MGDL program

Graduated licence programs work to save lives and prevent injuries among new drivers and riders.

Every year in Saskatchewan there are more than 300 collisions involving motorcycles, often resulting in serious injuries or even fatalities. As a new rider, you're more likely to be in a crash, especially during your first three years of riding.

If you're a first-time motorcycle rider, no matter what your age is, you have to:

- be at least 16 years of age (with parental or guardian approval if you're under 18)
- hold a Class 5 or higher driver's licence
- successfully pass all stages of the MGDL program

The MGDL program moves new motorcycle riders through increasing levels of risk as they gain motorcycle driving experience. There are three stages that new riders must pass: Learner, Novice 1 and Novice 2.

You have to pay a \$500 driver's licence fee when you get your 6 Endorsement (motorcycle learner's licence) and another \$500 each time you enter the next stage of the MGDL program – Novice 1 and Novice 2 – for a total of \$1,500.

We don't charge a fee if you can show proof that you successfully completed an SGI-approved motorcycle training course.

Motorcycle endorsements

Motorcycle Learner – 6 Endorsement

If you want to get your motorcycle learner's licence (6 Endorsement), you have to first meet the learner criteria before taking four tests. If you pass these tests, you have to take either SGI-approved motorcycle training or a basic ability road test before you can drive a motorcycle as a learner.

A. Basic knowledge exam

This computer-based or written exam, with translation for over 100 languages, tests your understanding of the rules of the road from the *Saskatchewan Driver's Handbook*.

- **passing grade:** 80%
- **cost:** \$25 each time you take the basic, signs and/or motorcycle exams

B. Signs exam

This computer-based or written exam tests your understanding of the meaning of traffic signs from the *Saskatchewan Driver's Handbook*.

- **passing grade:** 80%
- **cost:** \$25 (each time you take the basic, signs and/or motorcycle exams)

C. Motorcycle knowledge exam

This computer-based or written exam tests your understanding of the rules of the road applicable to motorcycles, based on information in this handbook.

- **passing grade:** 80%
- **cost:** \$25 (each time you take the Basic, Sign and/or Motorcycle exams)

D. SGI-approved motorcycle training course OR Basic ability road test

You have the option to take either an SGI-approved motorcycle training course or pass the basic ability road test (within three separate tries). Without the approved training you have to pay a \$500 driver's licence fee for each of the three stages in the MGD program.

Option 1 - SGI-approved motorcycle training course

(strongly recommended) If you successfully pass the approved course, you don't have to:

- Pay the fees in each of the three MGD stages,
- Take the basic ability road test; or
- Have an "R" engine size restriction on your licence (even if you take a road test later on a motorcycle 400cc's or less).

You'll also qualify for an SDR discount once you reach Novice 2.

Option 2 - Basic ability road test

This hands-on demonstration tests your ability to safely drive and control a motorcycle in reduced traffic conditions, on a motorcycle that you bring yourself. You will need to bring a cellphone and ear buds to the test. The examiner will be following in a vehicle and dictating directions via cellphone. You're tested on:

- identifying the controls
- starting
- stopping
- turning
- balance

You get three separate tries to pass the test and can re-book for as early as the next day. You fail the test if you:

- can't identify the controls
- use your feet too much to balance the motorcycle
- aren't able to balance the motorcycle
- show poor stops or starts
- disobey the basic rules of the road (e.g., fail to obey a stop sign)
- make a combination of mistakes during the test
- **passing grade:** 9 demerits or less
- **failing grade:** 10 or more demerits
- **cost:** \$55

Smaller motorcycles

If you take your 6 Endorsement basic ability road test on a motorcycle with a 400cc engine size (or less), you're given an "R" restriction that limits you to drive motorcycles 400cc or less. To get rid of this restriction you can retest on a motorcycle larger than 400cc, or successfully complete an approved motorcycle training course.

Otherwise, the restriction expires when you finish the MGDL program and become a fully experienced rider.

When you're eligible to validate your 6 Endorsement you have to pay your \$500 MGDL fee (unless you've successfully completed an SGI-approved motorcycle training course and can show proof).

Pass

You're now a learner motorcycle driver with a Motorcycle Learner 6 Endorsement! After passing your computer-based or written exams, vision test and your basic ability road test or SGI-approved motorcycle training, remember to validate your endorsement at a motor licence issuer and pay your \$15 fee.

If your licence expires, it adds extra time to the MGDL program, meaning you won't graduate to an experienced motorcycle rider as quickly.

Fail

Knowledge exams: You can schedule another test as early as the next day.

Motorcycle training or basic ability road test: You can retake the SGI-approved motorcycle training or schedule another basic ability road test (but if you fail the road test a third time, you have to complete the SGI-approved motorcycle training).

24-month time limit: As a new rider, you have to ride as a learner for 12 months before being eligible to take the non-learner "M" Endorsement road test. If you don't pass within 24 months of getting your 6 Endorsement, you have to rewrite the motorcycle knowledge test and restart the MGDL process from the first stage.

Practice driving

You have to practice as a learner rider for at least 12 months (max. 24 months). If your licence expires or you get a licence suspension, your 12-month period will be delayed.

The learner period expires after 24 months if you haven't passed the SGI motorcycle road test. You have to rewrite and pass the motorcycle written knowledge tests (signs, rules of the road and motorcycle knowledge) to get

another motorcycle learner endorsement. If you do, you don't have to pass the basic ability road test again or retake the motorcycle training. You'll have another 24 months to pass your SGI motorcycle road test (without the 12-month waiting period).

Motorcycle Novice 1 – Endorsement M

You can only hold your 6 Endorsement for a maximum of 24 months. To go from the Learner stage to Novice 1, you need to have your learner's licence for a total of 12 months and take a motorcycle road test. You will need to bring a cellphone and ear buds to the test. The examiner will be following in a vehicle and dictating directions via cellphone.

This hands-on demonstration tests motorcycle riding practices like your lane position and safe riding techniques. You're tested on:

- starting
- stopping
- turning
- traffic signs and signals
- passing vehicles and lane driving
- riding through controlled and uncontrolled intersections
- proper lane positioning
- recognizing the possibility of hazardous conditions

You fail the test if you:

- speed
- are more than 50% responsible for a collision
- don't stop when needed
- use your feet improperly or too much
- don't yield to vehicles and pedestrians
- aren't able to complete a request from the examiner
- need help from the examiner
- make a combination of driving mistakes
- drop the motorcycle
- **passing grade:** 9 demerits or less
- **failing grade:** 10 or more demerits
- **cost:** \$55 each time you take the test

If you go for your “M” endorsement on a moped, you get a “J” restriction and keep your “R” restriction if you already had one. In the Novice 1 and 2 stages you can only ride motorcycles or mopeds up to 400cc. Once you’re past the novice stages, you can ride mopeds as an experienced rider but you’re still considered a learner (with learner restrictions) on any larger motorcycle.

The engine size restriction “R” no longer applies if you successfully complete an approved motorcycle training course.

If you can’t make your appointment, cancel it before its scheduled time or you have to pay for your next appointment.

When you pass your road test and get your Novice 1, you have to pay your \$500 MGD L fee (unless you’ve successfully completed an SGI-approved motorcycle training course and can show proof).

Validate!

After passing your road test, remember to validate your endorsement at a motor licence issuer, and pay the \$15 fee.

If your licence expires, it adds extra time to the MGD L program, meaning you won’t graduate to an experienced motorcycle rider as quickly.

Rescheduled road test

Your motorcycle road test may be rescheduled if you’re late for your appointment or you don’t have your driver’s licence on you.

Your motorcycle road test will be rescheduled if:

- the motorcycle/moped is unsafe or not equipped in according to the law
- you don’t meet the vision or medical fitness requirements
- you’re not wearing the right gear for MGD L riders:
 - arms and legs covered
 - finger-covering gloves
 - ankle-covering boots
 - eye protection
 - 3/4, modular or full-face helmet
- or you don’t have a red L motorcycle placard displayed on your licence plate (“M” Endorsement road test only)

Practice driving

You have to practice driving a motorcycle in the Motorcycle Novice 1 stage for at least 12 months without any incidents.

Pass

You were incident free as a Novice 1 rider for 12 consecutive months! We'll mail your Novice 2 driver's licence to you.

Fail

You have to restart the 12 months of incident-free driving. After successful completion of 12 consecutive months without incident, we'll mail your Novice 2 driver's licence to you.

Motorcycle Novice 2 – Endorsement M

To go from Novice 1 to Novice 2, you have to stay incident-free for 12 months.

If you go for your “M” endorsement on a moped, you get a “J” restriction and keep your “R” if you already had one. In the Novice 2 stage you can only ride motorcycles or mopeds up to 400cc. Once you’re through the novice stages, you can ride mopeds as an experienced rider but you’re still considered a learner (with learner restrictions) on any larger motorcycles.

When you’re eligible to graduate to Novice 2, you have to pay your \$500 MGD L fee (unless you’ve successfully completed an SGI-approved motorcycle training course and can show proof).

Pass

You completed 12 consecutive months as a Novice 2 rider without any interruptions or incidents! You graduate to an unrestricted “M” Endorsement, making you an experienced motorcycle rider. We’ll mail your new valid licence to you.

Fail

If your 12 consecutive months in Novice 2 have incidents, you have to restart the Novice 2 stage and stay incident-free for the entire 12-month period. You’re also placed in the MGD L Improvement program.

Motorcycle Unrestricted “M”

To go from Novice 2 to a full, unrestricted “M” motorcycle licence, you have to stay incident-free for 12 months.

Rebate

If you joined the program after Jan. 1, 2016, completed an SGI-approved motorcycle course before you graduated and graduated from the MGD L program incident-free – no licence suspensions or motorcycle traffic convictions/at-fault collisions and remained a Saskatchewan resident maintaining your licence here,, you’re eligible for a \$450 rebate. We’ll notify you if you’re getting a rebate.

MGDL restrictions and requirements

No matter what year you join the MGDL program, or when you get your 6 Endorsement, these restrictions and requirements apply to your current MGDL stage:

	<i>Motorcycle Learner</i>	<i>Motorcycle Novice 1</i>	<i>Motorcycle Novice 2</i>
	6 Endorsement ¹	Endorsement "M"	Endorsement "M"
Duration	A combined total of 12 months to a max. of 24 months ² – doesn't include interruptions (non-renewal, refusal, licence suspension)	A combined total of 12 months to a max. of 24 months – doesn't include interruptions (non-renewal, refusal, licence suspension)	A combined total of 12 months to a max. of 24 months – doesn't include interruptions (non-renewal, refusal, licence suspension)
	Must be 16 years old, with written parental consent if under 18 years old	Pass a motorcycle road test	
Requirements	Pass the rules of the road, signs, vision, and motorcycle written knowledge tests	12 months without being responsible for any collisions, suspensions or convictions ³	12 months without being responsible for any collisions, suspensions or convictions ³
	Must hold a Class 5 or higher driver's licence		
	Pass a basic ability road test within 3 tries, or take an SGI-approved motorcycle training course		
	\$500 MGDL fee (not charged if you successfully completed an SGI-approved motorcycle training course and can show proof)	\$500 MGDL fee (not charged if you successfully completed an SGI-approved motorcycle training course and can show proof)	\$500 MGDL fee (not charged if you successfully completed an SGI-approved motorcycle training course and can show proof)
Restrictions	No passengers	No passengers	
	No nighttime riding (1/2 hour before sunset to 1/2 hour after sunrise)	No riding between midnight and 5 a.m.	
	No vehicle towing	No vehicle towing	No vehicle towing
	Zero tolerance for alcohol and drug impairment, no matter what your age is while driving a motorcycle	Zero tolerance for alcohol and drug impairment, no matter what your age is while driving a motorcycle	Zero tolerance for alcohol and drug impairment, no matter what your age is while driving a motorcycle
	Must display red Learner placard 'L' ⁴	Must display a green Novice placard 'N' ⁴	Must display a green Novice placard 'N' ⁴
	Must wear protective gear ⁵	Must wear protective gear ⁵	Must wear protective gear ⁵

¹ Also applies to the holder of a J or H restriction when operating a 50cc or larger motorcycle or a two-wheeled motorcycle, respectively, as a learner.

² The learner period expires after two years if the individual has not passed the SGI motorcycle road test. The rider must re-write and pass the motorcycle written knowledge tests (signs, rules of the road and motorcycle knowledge) to get another motorcycle learner endorsement. If they do they will be subject to the same requirements and restrictions as a new motorcycle rider and must also pass a basic ability road test if an approved motorcycle training course has not been taken.

³ At-fault collisions or traffic convictions while operating a motorcycle will restart the Novice 1 or Novice 2 12-month learning period.

⁴ MGD L licence plate red placards for 'L' (Learner) and green placards for 'N' (Novice) drivers will be available at all motor licence issuers and driver examination offices starting June 2014.

⁵ Must have arms and legs covered and wear hand-covering gloves, ankle-covering boots and an approved three-quarter, modular or full-face helmet. This also applies to passengers where the operator has an M Novice 2 Endorsement.

⁶ If the basic ability road test is completed using a motorcycle 400cc and under, an engine size restriction "R" will be applied to your licence, which means the motorcycles you drive during the MGD L period are limited to cycles 400cc and under. The engine size restriction will be waived for those who successfully complete an approved motorcycle training course.

At every stage of the program, while riding you (and any of your passengers once you're in Novice 2) must:

- keep arms and legs covered,
- wear finger-covering gloves,
- ankle-covering boots, and
- an approved 3-quarter, modular or full-face helmet.

All motorcycle helmets, including those approved for MGD L riders, have to comply with at least one of the following standards and have a label to show it meets that standard:

- ANSI
- British Standards Institution
- CSA
- DOT (FMVSS 218)
- Snell Memorial Foundation
- Economic Commission for Europe (ECE) 22.05

If you have questions about a specific make or model of a helmet, contact Driver Development at 1-844-TLK-2SGI (1-844-855-2744).

How to book your tests

Once you feel confident about taking any of the motorcycle tests, there are a few options to book your appointment. Appointments at the major testing centres may be scheduled online at MySGI (sgi.sk.ca/mysgi) or at any motor licence issuer. You can also pre-pay for the test at any motor licence issuer, then call an SGI scheduling clerk to schedule your appointment.

Toll free: 1-844-TLK-2SGI (1-844-855-2744)

Regina: 306-775-6174 or

Saskatoon: 306-683-2320.

Credit card payments can also be accepted. If you do not cancel your appointment and you do not show up for a test, you will be required to pay for your next appointment.

For anyone under 18 years of age, parental consent must be provided before they are eligible to complete the required written examinations.

Incidents and suspensions

If a driver in the MGDG program receives a conviction, suspension or is involved in an at-fault collision while driving their motorcycle, they will be required to restart their Novice 1 or Novice 2 stage experience earning period. They will also receive the appropriate amount of infraction points under the Graduated Driver Licensing Improvement program, MGDG Improvement Program or Driver Improvement Program. These incidents may also affect an individual's Safe Driver Recognition (SDR) program discount or result in an SDR financial penalty.

MGDL Improvement Program

SGI has an improvement program to provide sanctions for offences that are known to contribute to collisions in order to reduce fatalities and injuries.

The MGDG Improvement Program uses a points system for offences. The driver points for a traffic incident involving an MGDG driver are the same as the points assigned under the Class 5 Graduated Driver Licensing (GDL) program (for new passenger vehicle drivers) or the Driver Improvement Program (for experienced passenger car drivers). However, the remedial action will be based on whether or not the incident is classified as a severe motorcycle offence.

Severe offences involving a new motorcycle driver could result in the removal of the person's motorcycle endorsement. The following six offences are considered severe:

- speed greater than 50 km/h over the speed limit
- speed greater than 35 km/h over the speed limit
- speed two times or greater the speed limit
- driving in a contest of speed
- racing with another vehicle on a highway
- driver performing an activity on a highway that is likely to distract, startle or interfere with other users of the road (stunting)

All drivers in the MGDL program that incur one of these high risk offences while on a motorcycle will be interviewed and, unless there are extenuating circumstances, their endorsement could be suspended for a period of 12 months, making them ineligible to operate a motorcycle.

If you operate a motorcycle when your motorcycle endorsement is suspended, the motorcycle can be impounded for 30 to 60 days.

All other traffic offences on a motorcycle are dealt with through the existing Class 5 GDL Improvement Program or the Driver Improvement Program if the driver is experienced.

Drinking, drugs and driving

Saskatchewan has a zero drug and blood alcohol content (0 BAC) tolerance for drivers that are:

- under 19 years of age
- in the GDL program
- in the MGDL program, while operating a motorcycle

Roadside administrative suspensions, when operating a motorcycle

Updated suspension information can be found at sgi.sk.ca.

Registering your motorcycle

All motorcycles operated on a public highway (roadway) must be registered.

The certificate of registration should be carried with the operator and must be produced when requested by a police officer.

Documents required

- a) New vehicle: A bill of sale and a New Vehicle Information Statement (new vehicles only) or manufacturer's Statement of Origin are required to register the vehicle.
- b) Transfer from another province: Current out-of-province registration is acceptable as proof of ownership provided that the same name also appears on the Saskatchewan application. A mechanical fitness inspection from an SGI certified inspection station is required for any motorcycle most recently registered in another jurisdiction.
- c) Imported motorcycle: A K22 Customs Clearance Card must be presented. A mechanical fitness inspection from a SGI certified inspection station is required for any imported motorcycle (unless the motorcycle is new and accompanied by a manufacturer's Statement of Origin).
- d) Proof of identity: A birth certificate or passport with a second identification document must be presented when an applicant has not previously been issued a customer number. Only original documents (not photocopies) are acceptable.
- e) Total loss vehicle: A mechanical fitness inspection from an SGI certified inspection station is required for any motorcycle that has been deemed a total loss.

Where to go

You can register your motorcycle at any SGI motor licence issuer. You may select a vehicle registration term of 28 days to 365 days.

New residents

Motorcycles are required to be registered with Saskatchewan plates within 90 days of establishing residency.

Insurance

Compulsory minimum insurance coverage is included with registration of motorcycles.

Basic insurance rates vary according to the year and engine capacity of the motorcycle. Additional coverage in the form of an extension policy may be obtained from any insurance company.

A certificate of registration is proof of financial responsibility. This document is the motor vehicle liability insurance card and must be presented as proof of financial responsibility when requested.

Cancellation

The licence plates and vehicle registration can be returned to any motor licence issuer or to SGI at 2260 – 11th Avenue, Regina, SK, S4P 2N7 with a request for cancellation.

Renewal information

A renewal application will be mailed to you approximately one month before your registration term expires. Renewal applications are forwarded to the address indicated on the registration certificate. If these renewals are not received by two weeks before your expiry date, proceed to any motor licence issuer office and complete an amended renewal application.

Provincial Sales Tax (PST)

The PST must be collected on all vehicles registered for the first time in Saskatchewan. Some motorcycles may be tax exempt.

For more information, contact the Ministry of Finance at 1-800-667-6102.

Motorcycle injury insurance

Motorcycle owners have three options for injury coverage:

- The full package of No Fault injury benefits; or
- Tort coverage; or,
- A reduced package of No Fault injury benefits.

The insurance rate for any of the three options is dependent on the make and model of motorcycle, and its claims experience.

Reduced No Fault injury insurance

This coverage is only available for motorcycles and offers the same level of benefits provided under the current Tort product, but without the ability to sue.

For more information visit sgi.sk.ca.

Motorcycle equipment standards

Before you hit the road, Saskatchewan law says that your motorcycle must meet the following regulations.

Wheelbase

The wheelbase of your motorcycle is measured from the centre of the front wheel to the centre of the rear wheel. It must be a minimum of 41 inches (1,040 mm).

Saddle height

The saddle height of your motorcycle is measured from the ground to the seat valley. It must not be less than 20 inches (500 mm) when loaded with 150 lb. (70 kg).

Frame height

The frame height of your motorcycle is measured from the top of the headstock to the ground (with the vehicle unloaded). It must be a minimum of 25.5 inches (650 mm).

Ground clearance

The ground clearance for your motorcycle is measured from the ground to the lowest part of the power-train. You should provide between 4 inches (10 mm) and 12.5 inches (320 mm).

Wheels

The wheels on your motorcycle must have a minimum diameter of 9.875 inches (250 mm).

Tires

The tires on your motorcycle must have the letters DOT (Department of Transportation) or a Canadian National Safety Mark (in the form of a maple leaf symbol) on the side wall.

Front and rear brakes

Your motorcycle must be equipped with front and rear brakes (mechanical or hydraulic is acceptable).

Note: A parking brake is not mandatory.

Front suspension

Your motorcycle must be equipped with a front suspension system (spring and damper forks).

Note: 'Hardtails' (no rear suspension) are acceptable.

Muffler

Your motorcycle must have one or more mufflers that ensure exhaust gases are cooled and effectively reduce combustion noise.

Mirror

Your motorcycle must be equipped with at least 1 mirror with a minimum reflective area of 8.5 inches² (55 cm²).

Drive train guard

Your motorcycle must have a chain, belt or propeller shaft drive train guard.

Handlebars

Your motorcycle must not have handlebars with grips that are higher than the shoulders of a seated driver.

Speedometer or tachometer

Your motorcycle must be equipped with either a speedometer or tachometer.

Fenders or mud flaps

Your motorcycle must be equipped with fenders or mud flaps.

Horn

Your motorcycle must be equipped with a horn that can be heard from 200 ft (60 m) away under normal traffic conditions.

Lamps – general

All motorcycle lamps must be DOT/SAE or “E” code approved and labeled or meet the specifications for a CMVSS compliant vehicle.

Headlamps

Your motorcycle must have high and low beams. The letters DOT must be embossed on the lens that turn on automatically when in a forward gear.

Note: Limited-speed motorcycles (LSM/scooters) do not require a high beam.

Stop lamps and tail lamps

The stop lamps and tail lamps must be red in colour and mounted on the rear vertical center-line of the vehicle (single lamp system) or symmetrically on either side of the rear vertical center-line of the vehicle (two lamp system).

Note: The stop lamps on motorcycles built after 1996 must have minimum 7.75 inches² (50 cm²) lenses. The stop lamps on Limited Speed Motorcycles built after 1996 must have minimum 3.5 inches² (23 cm²) lenses.

Front signal lamps

The front signal lamps of your motorcycle must be amber in colour and mounted symmetrically on either side of the vehicle's vertical centre-line a minimum of 16 inches (400 mm) apart, measured from the centre-line of the lamps.

Rear signal lamps

The rear signal lamps of your motorcycle must be either amber or red in colour and be mounted symmetrically on either side of the vehicle's vertical centre-line a minimum of 9 inches (230 mm) apart, measured from the centre-line of the lamps.

The red rear signal lamps must be installed a minimum of 4 inches (100 mm) away from a stop lamp or tail lamp measured from lamp edge to lamp edge.

- Motorcycles built before 1974 do not require signal lamps.
- Motorcycles built after 1996 must have minimum 3.5 inches² (23 cm²) signal lamp lenses.

Reflectors

Your motorcycle must be equipped with 1 red rear reflector, 1 red reflector mounted on each side as close to the rear as practical and 1 amber reflector mounted on each side as close to the front as practical.

Stop lamps, tail lamps and reflectors

All stop lamps, tail lamps and reflectors on your motorcycle must be mounted not less than 15 inches (380 mm) above the road.

Stop lamps, signal lamps and tail lamps

All stop lamps, signal lamps and tail lamps on your motorcycle must be visible from 650 ft (200 m) on a clear night. In addition:

- Every operator and every passenger must wear a securely attached helmet that meets the standards of either the Canadian Standards Association, the American Motorcycle Association, the British Standards Institute, the Snell Memorial Foundation or the U.S. Department of Transport and be so labelled. The Snell Memorial Foundation, the Economic Commission for Europe (ECE) or the U.S. Department of Transport and be so labelled.
- No passenger shall be carried unless there is a passenger seat or the operator's seat has been designed to accommodate a passenger, and there are foot pegs supplied for the passenger.

18. Power-assisted bicycles

Power-assisted bicycles means any two- or three-wheeled bicycle that:

- is equipped with an electric assist motor that is no larger than 500 watts
- is designed to be propelled with the combination of muscular power and power assist from the electric motor
- cannot be operated at a speed of greater than 32 km/h (20 mph) on any level service

Driver's licence required: No

Age restriction: 14 years of age or older

Registration required: No (special bicycle sticker may be required by city)

Helmets: Operator requires an approved bicycle or motorcycle helmet

Operation rules: Must be driven in accordance with the rules of the road under *The Traffic Safety Act* normally applicable to a bicycle and cannot be operated in any area restricted by municipal bylaw

Any gas-powered cycles, electric cycles larger than 500 watts or without pedals are considered motorcycles and all motorcycle licensing requirements and equipment standards apply.

Motorcycle approval form for persons under 18

Parent or guardian approval is required for persons under 18 years of age to apply for a motorcycle learner/driver's licence.

This completed form must be submitted to the driver testing staff before a motorcycle learner's licence applicant under 18 years of age will be allowed to take a test. Acceptable proof of age and identity are also required before a test can be taken.

Notice to Parents/Guardians:

In accordance with federal and provincial legislation, driver records including test results are confidential and cannot be released to third parties, including parents, without the driver's approval.

I, the undersigned, being the parent or guardian of

full legal name

whose customer number* is _____ and date of birth is _____,
day/month/year

do hereby give my consent for said applicant to obtain a motorcycle learner/driver's licence.

Parent or Guardian Name (*print*)

Parent or Guardian Customer Number

Parent or Guardian Signature

Date Signed

*Your SGI customer number can be found on your driver's licence.



sgi.sk.ca

SLB145 | 03/2026 | 5400

SGI 
Take care out there